




DRAWING 1/9 Standard Distribution Scheme



DRAWING 2/9 Internet Cafe Style Vending



DRAWING 3/9 VENDING MACHINE DISTRIBUTION



DRAWING 4/9 AGE VERIFICATION SYSTEM

DRAWING 5/9 PROGRAMING SEQUENCE FOR OPTIONAL COOKIE FREE CACHE BACK mini-APPLICATION

Programing flow sheet only.

Use programming language technique or GUI development environment of your choice

USER ACTIVATED

ON ROUTINE

Make directory /windows/temp/cachebak

Change directory to cachebak

Copy netscape/fat.db

Copy directory fat for /windows/Temporary Internet Files

Write to windows registry for Control Panel, Internet Options, Advanced Internet Properties

Change setting to disable cookies and JAVA

END

USER ACTIVATED

OFF ROUTINE

Prompt User "Download Complete"

Compare netscape fat.db, /windows/temp/cachebak/fat.db

Compare directory fat for /windows/Temporary Internet Files,

/windows/temp/cachebak/directory fat


Delete files from netscape/cache which are not listed in /windows/temp/cachebak/directory fat

Copy /windows/temp/cachebak/directory fat

Write to windows registry Control Panel, Internet Options, Advanced Internet Properties

Change settings to enable cookies and JAVA

END



DRAWING 6/9 Some possible CARD formats

 $_{\text{Example}}$ ABC and ABC


| Base Font (in this example Times New Roman) | Font Aberrations |
|---|------------------|
| | |
| | |
| | |


DRAWING 4/9 Font Aberation Examples

DRAWING 5/9 The hidden pixelization binary fingerprinting predefines which pixels will be modified. The encoded message is later divined using a scanning device capable of detecting the differences











Zoom of Selected Area

Pixel Selection



Normal Pixel

Example: After hidden pixilization



| Courier 10BT | Courier New |
|--------------|-------------|
| A | A |
| B | В |
| C | C |

DRAWING 6/9 Courier New and Courier 10BT Similarities